

Catalog Number: IR292-962


Anti-COL1A1 / Collagen I antibody

Package size: 25, 100 μ l
 Store at: -20°C
 MW (kDa): 220


Overview

Product Name	COL1A1 / Collagen I antibody
Product Number	IR292-962
Gene Description	collagen, type I
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human, mouse, rat
Recommended Applications Dilutions	Western Blot 1:1000 - 1:1500 Immunofluorescence 1:300 - 1:500 Immunohistochemistry (Paraffin) 1:100 - 1:300
Storage Buffer	100mM Tris Glycine, 20% Glycerol (pH7). 0.025% ProClin 300 was added as a preservative
Concentration	1.51 mg/ml
Purity	Affinity column purified
Storage	Store at +4°C for short term storage. Long time storage is recommended at -20°C
Notes	Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.

IR292-962 anti-COL1A1 / Collagen I antibody WB image




IR292-962 anti-COL1A1 / Collagen I antibody IHC image




COL1A1 / Collagen I antibody - at 1/1000 dilution. Lysates at 40 μ g per lane. This blot was produced using a 5% SDS-PAGE. Nitrocellulose membrane was then blocked before being incubated with IR292-962 overnight at 4°C.

Immunohistochemical analysis of paraffin embedded mouse testis labeling COL1A1 / Collagen I with IR292-962 at 1/150.

IR292-962 anti-COL1A1 / Collagen I antibody WB image




IR292-962 anti-COL1A1 / Collagen I antibody IHC image




COL1A1 / Collagen I antibody - at 1/1000 dilution. Lysates at 40 µg per lane. This blot was produced using a 5% SDS-PAGE. Nitrocellulose membrane was then blocked before being incubated with IR292-962 overnight at 4°C.

Immunohistochemical analysis of paraffin embedded Mouse tissue labeling **COL1A1 / Collagen I** with IR292-962 at 1/100.

IR292-962 anti-COL1A1 / Collagen I antibody WB image



IR292-962 anti-COL1A1 / Collagen I antibody ICC/IF image



COL1A1 / Collagen I antibody - at 1/250 dilution. Lysates at 50 µg per lane. This blot was produced using a 5% SDS-PAGE. Nitrocellulose membrane was then blocked before being incubated with IR292-962 overnight at 4°C.

Immunohistochemical analysis of paraffin embedded human hepatocellular carcinoma (HCC) labeling Fibronectin with IR48-138 at 1/100.

IReal Biotechnology Co., Ltd.