

Catalog Number: IR119-300


Anti-Cyclin E1 antibody

Package size: 25, 100 µl
Store at: -20°C
MW (kDa): 48


Overview

| | |
|------------------------------------|---|
| Product Name | Cyclin E1 antibody |
| Product Number | IR119-300 |
| Gene Description | cyclin E1 |
| Clonality | Polyclonal |
| Host | Rabbit |
| Species Reactivity | Human |
| Recommended Applications Dilutions | Western Blot 1:500-1:1000 Immunofluorescence 1:200 – 1:300 Immunohistochemistry (Paraffin) 1:50 – 1:100 |
| Storage Buffer | 100mM Tris Glycine, 20% Glycerol (pH7). 0.025% ProClin 300 was added as a preservative |
| Concentration | 0.63 mg/ml |
| Purity | Affinity column purified |
| Storage | Store at +4°C for short term storage. Long time storage is recommended at -20°C |
| Notes | Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user. |


IR119-300 anti-Cyclin E1 antibody
WB image



IR119-300 anti-Cyclin E1 antibody
ICC/IF image



IR119-300 anti-Cyclin E1 antibody
IHC image



Anti-Cyclin E1 antibody at 1/1000 dilution
Lysates at 40 µg per lane. This blot was produced using a 10% SDS-PAGE. Nitrocellulose membrane was then blocked for an hour before being incubated with IR119-300 overnight at 4°C.

Immunofluorescence: cells were fixed with 4% PFA for 10 min at RT, permeabilized with 0.1% NP-40 for 10 min at RT then blocked with 5% BSA for 30 min at RT. Cells were stained with IR119-300 anti-Cyclin E1 antibody (red) at 1:200 and 4°C.

Immunohistochemical analysis of paraffin embedded mouse testis labeling Cyclin E1 with IR119-300 at 1/50.

iReal Biotechnology Co., Ltd.